

Cloudera Runtime 7.1.7

Ozone Performance Tuning

Date published: 2021-08-05

Date modified: 2021-08-05

CLOUDERA

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Performance tuning for Ozone.....	4
--	----------

Performance tuning for Ozone

Learn how to use the Ozone configuration properties to tune Ozone to work optimally on your cluster.

For performance optimization and to overcome known issues, Cloudera recommends the following additional configurations:

Configuration Property	Value	Remarks
Ozone Configuration		
Maximum Process File Descriptors	1024000	
Java Heap Size of Ozone Manager	31GB	
Java Heap Size of Storage Container Manager	31GB	
Java Heap Size of Recon	31GB	Can be increased to 64GB for higher load.
Java Heap Size of S3 Gateway	31GB	
Java Heap Size of DataNode	31GB	
Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml	<pre><property> <name>hdds.prometheus.endpoint.token</name> <value>*****</value> <description>Prometheus Token</description> </property></pre>	<p>Prometheus is an optional role and this configuration can be ignored if Prometheus is not being used.</p> <p>Disables Prometheus SPNEGO and uses Token Based Authentication.</p>
Ozone Configuration Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml		
ozone.container.cache.size	8192	
ozone.container.cache.lock.stripes	8192	
hdds.datanode.du.factory.classname	org.apache.hadoop.hdds.fs.DedicatedDiskSpaceUsageFactory	
hdds.container.report.interval	10m	
dfs.container.ratis.leader.pending.bytes.limit	2GB	
Ozone Configuration Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml		
ozone.scm.datanode.pipeline.limit	10	If DataNodes have different number of disks, pick the highest number.
ozone.scm.pipeline.owner.container.count	10	
ozone.scm.pipeline.creation.auto.factor.one	FALSE	
ozone.scm.container.placement.impl	org.apache.hadoop.hdds.scm.container.placement.algorithms.SCMContainerPlacementCapacity	Adaptive SCM Container Placement based on capacity available instead of random allocation.
Ozone Configuration Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml		
ozone.recon.task.pipelinesync.interval	120s	
ozone.recon.task.missingcontainer.interval	3600s	
Ozone Configuration Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml		

Configuration Property	Value	Remarks
hdds.datanode.replication.work.dir	/tmp (is the default value)	The /tmp directory is used for staging transient files as part of data replication. Cloudera recommends a minimum of 50 GB size for the Datanode Replication Working Directory. Cloudera recommends you to use SSD for better performance during data replication. It can use the same SSD as datanode metadata.
hdds.datanode.replication.work.dir	</path/to/custom/replication/work/dir>	To use a non-default directory as Datanode Replication Working Directory
ozone.om.enable.filesystem.paths	true	
scm.container.client.max.size	<number of active pipelines in the cluster>	
scm.container.client.idle.threshold	120s	