

Cloudera Runtime 7.1.7

Administering Hue

Date published: 2020-08-10

Date modified: 2022-03-30

CLOUDERA

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.


Contents

Hue configurations in Cloudera Data Warehouse.....	4
Hue supported browsers.....	4
Customizing the Hue web interface.....	4
Adding a custom banner.....	5
Changing the page logo.....	5
Setting the cache timeout.....	7
Enabling or disabling anonymous usage data collection.....	8
Disabling the share option in Hue.....	8

Hue configurations in Cloudera Data Warehouse

You can customize the settings for Hue at a Virtual Warehouse level by specifying the configurations in the hue-safety-valve field in the Cloudera Data Warehouse (CDW) UI.

The following table lists the safety valve parameters supported by Hue in Cloudera Data Warehouse:

Parameter	Description
<pre>[notebook] [[interpreters]] [[hive]] name=Hive interface=hiveserver2 [[hplsql]] name=Hplsql interface=hiveserver2</pre>	<p>Used to activate and enable switching between Hive and HPL/SQL interpreters for your queries.</p>  <p>Note: Hue enables you to switch between Hive and HPL/SQL interpreters. By default, the Hive interpreter is enabled when you create a Hive Virtual Warehouse. To enable the HPL/SQL interpreter, you must update the configuration in the hue-safety-valve field in your Hive Virtual Warehouse. However, updating hue-safety-valve overrides the default configuration. Therefore, to use both Hive and HPL/SQL interpreters, you must enable both by updating the configuration in the hue-safety-valve field.</p>
<pre>[[desktop]] app_blacklist</pre>	<p>Used to add or remove applications, such as the File Browser, Impala, Hive, Oozie, and so on from the blocked list of applications.</p>
<pre>[desktop] [[session]] ttl=[**NUMBER-OF-SECONDS**]</pre>	<p>Used to configure the duration of a user session. The ttl property determines the length of time that the cookie with the user's session ID lives before expiring. After the ttl setting is reached, the user's session expires whether it is active or not.</p> <p>The default setting for ttl is 1,209,600 seconds, which equals two weeks.</p>
<pre>[jobbrowser] enable_queries_list=true</pre>	<p>Used to display or hide the Queries tab on the Job Browser page. By default, the value of the enable_queries_list property is set to true. To hide the Queries tab, set the value to false.</p>

Hue supported browsers

Hue works with the two most recent [LTS](#) (long term support) or [ESR](#) (extended support release) browsers. Cookies and JavaScript must be enabled.

The lists the minimum tested versions of the most common browsers:

- Chrome: ([Version history](#))
- Firefox: ([Version history](#))
- Safari (Mac only): [Version history](#)
- Microsoft Edge: ([Version history](#))

Hue can display in other browsers and in older versions of the common browsers, but you might not have access to all features.

Customizing the Hue web interface

You can customize the page logo and set the cache timeout value by configuring the parameters in the Virtual Warehouse which is running Hue.

Adding a custom banner


Add a custom banner to the Hue web UI by adding your custom HTML to the Top Banner Custom HTML property in Cloudera Manager.

About this task

To add a custom banner to the Hue web UI:

Procedure

1. In the Cloudera Manager Admin Console, select `ClustersHueConfiguration` to navigate to the configuration page for Hue.
2. In the Search text box, type `top banner` to locate the Top Banner Custom HTML `banner_top_html` configuration parameter.
3. Add your custom HTML to the text box for the configuration parameter.
4. Click `Save Changes` at the bottom of the page to save the configuration change.
5. Refresh the browser page and click the restart icon at the top of the page so the new configuration changes can be read by the server:



6. In the Hue configuration page of Cloudera Manager, select `Web UIHue Load Balanced` to load Hue and view your custom banner.

Changing the page logo

You can replace the Hue web interface logo with a custom log that is created with an SVG code. Add any type of logo you want, but your custom logo should be designed to fit into a 160 x 40 pixel space.

About this task

For example, here is the Hue logo shown in the following image:



You can change this Hue logo by adding the appropriate SVG code to the `logo_svg` property under the `[desktop] [[custom]]` section in the `hue_safety_valve` configuration parameter in Cloudera Data Warehouse (CDW).

Procedure

1. Log in to the Data Warehouse service as an administrator.
2. Go to the Virtual Warehouses Edit CONFIGURATIONS Hue and select `hue-safety-valve` from the Configuration files drop-down list.
3. Add the custom logo SVG code in the `[desktop] [[custom]]` section as shown in the following example:


```
[desktop]
[[custom]]
logo_svg=' [ ***SVG-CODE-FOR-CUSTOM-LOGO*** ] '
```

For example, the following SVG code replaces the Hue logo with a red heart:

```
[desktop]
[[custom]]
logo_svg='<g><path stroke="null" id="svg_1" d="m44.41215,11.43463c-4.05
017,-10.71473
-17.19753,-5.90773 -18.41353,-0.5567c-1.672,-5.70253 -14.497,-9.95663
-18.411,0.5643c-4.35797,11.71793 16.891,22.23443 18.41163,23.95773c1.518
1,-1.36927 22.7696,-12.43803
18.4129,-23.96533z" fill="#ffffff"/> <path stroke="null" id="svg_2"
d="m98.41246,10.43463c-4.05016,-10.71473 -17.19753,-5.90773 -18.41353,-
0.5567c-1.672,-5.70253
-14.497,-9.95663 -18.411,0.5643c-4.35796,11.71793 16.891,22.23443 18.4116
4,23.95773c1.5181,-1.36927
22.76959,-12.43803 18.41289,-23.96533z" fill="#FF5A79"/> <path stroke="nu
ll" id="svg_3"
d="m154.41215,11.43463c-4.05016,-10.71473 -17.19753,-5.90773 -18.41353,-0
.5567c-1.672,-5.70253
-14.497,-9.95663 -18.411,0.5643c-4.35796,11.71793 16.891,22.23443 18.41164
,23.95773c1.5181,-1.36927 22.76959,-12.43803 18.41289,-23.96533z" fill="
#ffffff"/> </g>'
```

4. Click APPLY.
5. Restart the Virtual Warehouse.
6. Verify your changes by opening Hue.

If you added the sample SVG code that defines a red heart as the logo, then your Hue web interface looks as shown in the following image:



Related Information

[Scalable Vector Graphics](#)


Setting the cache timeout

Enable Hue UI caching by setting a timeout value in milliseconds. The default is 10 days or 864000000 milliseconds. Set the timeout to 0 to disable caching.

About this task

When you browse tables using the left assist panel or run queries, Hue caches this information for fetching information faster and query autocompletion. You can configure the time for which you want to Hue to cache this information by setting the value of the `cacheable_ttl` property under the `[desktop][[custom]]` section in the `hue_safety_valve` configuration property in Cloudera Data Warehouse.

Procedure

- 1.
2. Log in to the Data Warehouse service as an administrator.
3. Go to the Virtual Warehouses  Edit CONFIGURATIONS Hue and select hue-safety-valve from the Configuration files dropdown menu.
4. Add the following parameters with the cache timeout value to the `hue_safety_valve` configuration parameter:

```
[desktop]
[[custom]]
```

```
cacheable_ttl=[ ***VALUE-IN-MILLISECONDS*** ]
```

For example, the following configuration sets the cache timeout to the default value of 86400000 milliseconds:

```
[desktop]
[[custom]]
cacheable_ttl=86400000
```

5. Click APPLY.
6. Restart the Virtual Warehouse.

Enabling or disabling anonymous usage date collection

Hue tracks anonymized pages and application versions to gather information about application usage levels. The data collected does not include hostnames or IDs. For example, the data collected has the format /2.3.0/pig or /2.5.0/beeswax/execute.

About this task

To enable or disable anonymous usage data collection:

Procedure

1. In the Cloudera Manager Admin Console, select `ClustersHueConfiguration` to navigate to the configuration page for Hue.
2. In the Search text box, type usage to locate the Enable Usage Data Collection check box:
 - To enable anonymous data collection, check the box, which is the default setting.
 - To disable anonymous data collection, clear the check box.
3. Enter a Reason for change..., and then click Save Changes at the bottom of the page to save the configuration change.
- 4.



Refresh the browser page and click the restart icon at the top of the page so the new configuration changes can be read by the server and the new data collection setting takes effect.

Disabling the share option in Hue

Hue allows you to share documents, queries, and workflows with other users, either for viewing only or viewing and modifying in any Hue instances across all Virtual Warehouses within a Database Catalog. Sharing is enabled by default in the Hue UI. For added privacy and control, you can disable sharing by setting the `enable_sharing` property to false in the `hue-safety-valve`.

About this task

The sharing option is always available to the admin users. To disable the share option:

Procedure

1. Log in to the Data Warehouse service as an administrator.
2. Go to the Virtual Warehouses Edit CONFIGURATIONS Hue and select `hue-safety-valve` from the Configuration files drop-down list.
3. Add the following lines in the `hue-safety-valve`:

```
[desktop]
```

```
enable_sharing=false
```

4. Click APPLY.
5. Restart the Virtual Warehouse.