

Cloudera Manager Events

Date published: 2020-11-30

Date modified: 2022-05-25



Legal Notice

© Cloudera Inc. 2025. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

AUDIT_EVENT Category.....	11
EV_OFFLINE.....	11
EV_CLUSTER_MAINTENANCE_MODE_EXITED.....	11
EV_MIGRATE_CMCA_TO_DB.....	11
EV_ROLE_CREATED.....	11
EV_HOST_FINISH_DECOMMISSION.....	11
EV_HDFS_FAILOVER.....	12
EV_ADD_CUSTOM_CERTS.....	12
EV_GENERATE_HOST_CERTS.....	12
EV_YARN_RESET_ACLS.....	12
EV_ECS_INSTALL_LONGHORN_UI.....	12
EV_GLOBAL_ESTIMATE_HOST_STATS.....	13
EV_GLOBAL_COLLECT_HOST_STATS.....	13
EV_HBASE_REPLICATION_SETUP.....	13
EV_HDFS_VALIDATE_WRITABLE_EMPTY_DIRS.....	13
EV_HUE_CREATE_USER_DIR.....	13
EV_TEST_CM_EXTERNAL_AUTH.....	14
EV_YARN_INSTALL_MR_FRAMEWORK_TAR.....	14
EV_HDFS_MONITOR_DECOMMISSION.....	14
EV_CLUSTER_HOST_INSPECTOR_RUN.....	14
EV_MR_CREATE_JOBSTATUS_DIR.....	15
EV_KS_MIGRATE_TO_SENTRY.....	15
EV_CLUSTER_DISABLE_TLS.....	15
EV_ROLE_CONFIG_GROUP_DELETED.....	15
EV_SOLR_VALIDATE_METADATA.....	15
EV_ADMIN_USER_CREATED.....	16
EV_HOSTS_DELETE.....	16
EV_IMPALA_CREATE_USER_DIR.....	16
EV_HOST_RESET_ID.....	16
EV_SOLR_BACKUP_CONFIG.....	16
EV_HIVE_CREATE_USER_DIR.....	17
EV_CLUSTER_CDH_VERSION_UPDATED.....	17
EV_SERVICE_RECOMMISSION.....	17
EV_IMPALA_ROLE_DIAG.....	17
EV_SQOOP_CREATE_USER_DIR.....	17
EV_YARN_REFRESH.....	18
EV_SERVICE_RENAMED.....	18
EV_EXTERNAL_ACCOUNT_CREATED.....	18
EV_ZOOKEEPER_CLEANUP.....	18
EV_SENTRY_CREATE_DB.....	18
EV_IMPALA_CANCEL_QUERY_REQUEST.....	19
EV_SERVICE_MAINTENANCE_MODE_ENTERED.....	19
EV_SOLR_MIGRATE_SENTRY_PRIVILEGES.....	19
EV_HDFS_COPYLISTING.....	19
EV_DIRECTORY_CREATED.....	19
EV_HOSTS_RECOMMISSION_WITH_START_RUN.....	20
EV_ECS_VAULT_SETUP.....	20
EV_SENTRY_DISABLE_HA.....	20
EV_LOGIN_SUCCESS.....	20

EV_LOGIN_FAILURE.....	20
EV_HIVE_REPLICATION_COMMAND.....	21
EV_DELETE_CREDENTIALS.....	21
EV_SERVICE_STARTED.....	21
EV_SERVICE_START_DECOMMISSION.....	21
EV_CLUSTER_RENAMED.....	21
EV_HDFS_NN_FAILOVER.....	22
EV_HDFS_ENABLE_HA.....	22
EV_IMPORT_SENTRY_KUDU_POLICIES.....	22
EV_SERVICE_ROLLING_RESTARTED.....	22
EV_IMPALA_DISABLE_LLAMA_HA.....	22
EV_HOST_MAINTENANCE_MODE_EXITED.....	23
EV_REPLICATION_DIAGNOSTICS_COLLECTION.....	23
EV_DOCKER_HOST_SETUP.....	23
EV_ROLE_JSTACK.....	23
EV_HDFS_DISABLE_SNAPSHOT.....	23
EV_UPDATE_GLOBAL_TRUSTSTORE.....	24
EV_YARN_APPLICATION_DIAGNOSTICS_COLLECTION.....	24
EV_SOLR_BOOTSTRAP_CONFIG.....	24
EV_HOSTS_REMOVE_FROM_CM.....	24
EV_GLOBAL_HOST_INSTALL.....	24
EV_USER_ROLE_REGULAR_ADDED.....	25
EV_GENERATE_CMCA.....	25
EV_HUE_DUMP_DB.....	25
EV_CLUSTER_CONFIGURE_AUTO_TLS_SERVICES.....	25
EV_HOST_RECOMMISSION.....	25
EV_CM_PEER_TEST.....	26
EV_EXTERNAL_ACCOUNT_HOST_S3GUARD_PRUNE.....	26
EV_HDFS_CREATE_SNAPSHOT.....	26
EV_PARCEL_DEACTIVATE.....	26
EV_HBASE_TOGGLE_BALANCER.....	26
EV_CLUSTER_PRE_UPGRADE_CHECK.....	27
EV_HBASE_DISABLE_TABLE.....	27
EV_CLUSTER_DEPLOY_CLUSTER_CLIENT_CONFIG.....	27
EV_DOCKER_REGISTRY_BRINGUP.....	27
EV_HDFS_ADD_NAMESERVICE.....	27
EV_OOZIE_CREATE_DB_TABLES.....	28
EV_HBASE_UNLOAD_RS.....	28
EV_HDFS_VALIDATE_SHARED_EDITS_DIR.....	28
EV_HIVE_VALIDATE_METASTORE.....	28
EV_SERVICE_DELETED.....	29
EV_CLUSTER_UPGRADE_CDH.....	29
EV_IMPALA_SET_USER_ACLS_ON_WAREHOUSE.....	29
EV_SOLR_BOOTSTRAP_COLLECTIONS.....	29
EV_ROLE_LSOF.....	29
EV_HIVE_UPGRADE_METASTORE.....	30
EV_HUE_SYNC_DB.....	30
EV_HBASE_CREATE_SNAPSHOT.....	30
EV_GLOBAL_AUDIT_EVICTOR.....	30
EV_HIVE_CREATE_WAREHOUSE_DIR.....	30
EV_ROLE_RECOMMISSION.....	31
EV_HIVE_CREATE_SYS_DB.....	31
EV_TEZ_UPLOAD_TAR.....	31
EV_CLUSTER_TEAR_DOWN_WORKLOAD.....	31
EV_CLUSTER_GEN_SUPPORT_TOKEN.....	32
EV_USER_ROLE_ADDED.....	32

EV_OOZIE_DISABLE_HA.....	32
EV_HOSTS_REMOVE_FROM_CLUSTER_RUN.....	32
EV_HDFS_SAFEMODE_LEAVE.....	32
EV_IMPALA_DISABLE_LLAMA_RM.....	33
EV_SERVICE_CLEAN_DIR.....	33
EV_PARCEL_DISTRIBUTE.....	33
EV_SQOOP_SERVER_UPGRADE.....	33
EV_IMPALA_SET_USER_ACLS_ON_EXTERNAL_WAREHOUSE.....	33
EV_SERVICE_MAINTENANCE_MODE_EXITED.....	34
EV_HBASE_REPLICATION_FIRST_TIME_SETUP_MANUAL_CONTINUE.....	34
EV_CLUSTER_RECOMMISSION.....	34
EV_HDFS_MONITOR_UPGRADE.....	34
EV_PARCEL_CANCEL_ACTION.....	34
EV_HDFS_SAFEMODE_ENTER.....	35
EV_USER_ROLE_REGULAR_REMOVED.....	35
EV_CREATE_HBASE_TABLES_FOR_ATLAS.....	35
EV_ROLE_CONFIG_GROUP_RENAMED.....	35
EV_CLUSTER_OPTIMIZED.....	35
EV_DOCKER_GENERATE_DOCKER_CERT.....	36
EV_CLUSTER_POST_CLOUDERA_RUNTIME_UPGRADE.....	36
EV_HDFS_INIT_SHARED_EDITS.....	36
EV_CLUSTER_ACTIVATE_PARCEL.....	36
EV_HDFS_REMOTE_COPY_COMMAND.....	37
EV_YARN_CREATE_NODE_LABELS_ROOT_DIR.....	37
EV_OOZIE_UPGRADE_DB.....	37
EV_CLUSTER_DEPLOY_CC_AND_REFRESH.....	37
EV_ROLE_REFRESH.....	37
EV_HOST_DEPLOY_CLIENT_CONFIG.....	38
EV_CLUSTER_START_DECOMMISSION.....	38
EV_GET_OZONE_CREDENTIALS.....	38
EV_HOSTS_START_ROLES_RUN.....	38
EV_DOCKER_COPY_IMAGES.....	38
EV_ECS_HOST_NETWORK_MANAGER_SETUP.....	39
EV_YARN_FORMAT_STATE_STORE.....	39
EV_DIAGNOSTICS_DATA_UPLOAD.....	39
EV_HBASE_CREATE_WAL_DIR.....	39
EV_ROLE_STARTED.....	39
EV_HOST_TEMPLATE_CREATED.....	40
EV_SENTRY_ENABLE_HA.....	40
EV_CLUSTER_DEPLOY_CLIENT_CONFIG.....	40
EV_ECS_APPLY_CONFIGS.....	40
EV_USER_ROLE_ASSIGNED.....	40
EV_YARN_DISABLE_RM_HA.....	41
EV_ECS_VAULT_UNSEAL.....	41
EV_USER_ROLE_UNASSIGNED.....	41
EV_HOSTS_RECOMMISSION_RUN.....	41
EV_HDFS_SAVE_NAMESPACE.....	41
EV_YARN_INSTALL_SERVICE_DEPENDENCIES_TAR.....	42
EV_PARCEL_DELETE.....	42
EV_HBASE_REPLICATION_FIRST_TIME_SETUP.....	42
EV_DYNAMIC_CREATE_DB.....	42
EV_CLUSTER_ROLLING_RESTARTED.....	43
EV_HOST_DELETED.....	43
EV_HBASE_REPLICATION_SETUP_ADMIN.....	43
EV_ROLE_JMAP_HISTO.....	43
EV_HDFS_BOOTSTRAP_STANDBY_NN.....	43

EV_ROLE_MAINTENANCE_MODE_ENTERED.....	44
EV_HOSTS_PERF_INSPECTOR_RUN.....	44
EV_SERVICE_FINISH_DECOMMISSION.....	44
EV_REVISION_CREATED.....	44
EV_ROLE_FINISH_OFFLINE.....	44
EV_PARCEL_UNDISTRIBUTE.....	45
EV_CONVERT_CONFIGS.....	45
EV_HOST_TEMPLATE_MODIFIED.....	45
EV_HIVE_UPDATELOCATION.....	45
EV_CLIENT_CONFIG_CREATED.....	45
EV_EXTERNAL_ACCOUNT_S3GUARD_PRUNE.....	46
EV_PARCEL_DOWNLOAD.....	46
EV_HBASE_RESTORE_SNAPSHOT.....	46
EV_ECS_UPGRADE_INFRA_PROMETHEUS.....	46
EV_HBASE_REPLICATION_FIRST_TIME_SETUP_CLEAN_AND_RESET.....	46
EV_HOST_INSPECTOR_RUN.....	47
EV_HBASE_REPLICATION_SECURITY_COMMAND.....	47
EV_CLUSTER_PERF_INSPECTOR_RUN.....	47
EV_GLOBAL_RECONCILE_ROLE_STATUS.....	47
EV_ROLE_JMAP_DUMP.....	47
EV_POOLS_REFRESH.....	48
EV_HBASE_CLONE_SNAPSHOT.....	48
EV_ROLE_MAINTENANCE_MODE_EXITED.....	48
EV_HBASE_ADHOC_SNAPSHOT.....	48
EV_PARCEL_ACTIVATE.....	48
EV_DEPLOY_CLIENT_CONFIG.....	49
EV_USER_DELETED.....	49
EV_INSTALL_OOZIE_SHARELIB.....	49
EV_CLUSTER_DELETED.....	49
EV_HBASE_REPLICATION_WAIT_FOR_REMOTE_SETUP_FINISH.....	49
EV_RECOMMISSION.....	50
EV_OOZIE_CREATE_DB.....	50
EV_REFRESH_PARCELS_INFO.....	50
EV_ROLE_FINISH_DECOMMISSION.....	50
EV_HBASE_SCHEDULED_SNAPSHOTS.....	50
EV_METRICS_CHART_DIAGNOSTICS_COLLECTION.....	51
EV_HBASE_CREATE_ROOT_DIR.....	51
EV_COLLECT_HOST_STATS.....	51
EV_HIVE_CREATE_WAREHOUSE_EXTERNAL_DIR.....	51
EV_ROLE_CONFIG_GROUP_CREATED.....	51
EV_IMPALA_CREATE_CATALOG_DB.....	52
EV_HOST_TEMPLATE_DELETED.....	52
EV_CLUSTER_MAINTENANCE_MODE_ENTERED.....	52
EV_YARN_KILL_APPLICATION_REQUEST.....	52
EV_HOSTS_RECOMMISSION_AND_EXIT_MAINTENANCE_MODE_RUN.....	52
EV_CLUSTER_RESTARTED.....	53
EV_YARN_IMPORT_FROM_MR.....	53
EV_HBASE_REPLICATION_VALIDATION_COMMAND.....	53
EV_CLUSTER_DELETE_CREDENTIALS.....	53
EV_ROLE_START_DECOMMISSION.....	53
EV_HDFS_ENABLE_AUTO_FAILOVER.....	54
EV_HBASE_SHELL_COMMAND.....	54
EV_MR_KILL_JOB.....	54
EV_CLUSTERS_PERF_INSPECTOR_RUN.....	54
EV_CLUSTER_STARTED.....	55
EV_SENTRY_EXPORT_PERMISSIONS.....	55

EV_HDFS_UPGRADE_METADATA.....	55
EV_ECS_CDP_CREATE_ENV.....	55
EV_CLUSTER_STOPPED.....	55
EV_IMPALA_CREATE_CATALOG_TABLES.....	56
EV_CLUSTER_KERBEROS_ENABLED.....	56
EV_HBASE_GRACEFUL_SHUTDOWN_RS.....	56
EV_SERVICE_CREATED.....	56
EV_CLUSTER_IMPORT_TEMPLATE.....	56
EV_ECS_HOST_SETUP.....	57
EV_HBASE_ENABLE_TABLE.....	57
EV_CLUSTER_REFRESHED.....	57
EV_HOST_MIGRATE_ROLES.....	57
EV_INSPECTOR_RUN.....	57
EV_HBASE_REPLICATION_COMMAND.....	58
EV_ROLE_DELETED.....	58
EV_YARN_SWITCH_TO_MR2.....	58
EV_HIVE_REPLICATION.....	58
EV_TEST_DBUS_CONNECTION.....	58
EV_FINALIZED_UPGRADE_CDH.....	59
EV_ROLE_START_OFFLINE.....	59
EV_IMPORT_ADMIN_CREDENTIALS.....	59
EV_YARN_CREATE_CM_CONTAINER_USAGE_INPUT_DIR.....	59
EV_SOLR_CHECK_LOCALFS_TEMPLATE_CONFLICTS.....	60
EV_MR2_CREATE_HISTORY_DIR.....	60
EV_SENTRY_UPGRADE_DB_TABLES.....	60
EV_HBASE_CREATE_REPLICATION_DIR.....	60
EV_CLUSTER_CREATED.....	60
EV_CLUSTER_CONFIGURE_FOR_KERBEROS.....	61
EV_HDFS_NN_FORMAT.....	61
EV_HUE_LDAP_TEST.....	61
EV_HBASE_RELOAD_SINGLE_RS.....	61
EV_EXTERNAL_ACCOUNT_DELETED.....	61
EV_HDFS_SAFEMODE.....	62
EV_GENERATE_CREDENTIALS.....	62
EV_HBASE_CREATE_HBASE_USER_DIR.....	62
EV_TEST_DB_CONNECTION.....	62
EV_ROLE_DIAGNOSTICS.....	63
EV_USER_CREATED.....	63
EV_SERVICE_RESTARTED.....	63
EV_ZOOKEEPER_INIT.....	63
EV_HDFS_FINALIZE_UPGRADE.....	63
EV_HDFS_NN_ROLL_EDITS.....	64
EV_HDFS_DELETE_SNAPSHOT.....	64
EV_HIVE_MIGRATE_TABLES.....	64
EV_USER_ROLE_REMOVED.....	64
EV_HOSTS_STOP_ROLES_RUN.....	64
EV_HOST_TEMPLATE_APPLIED.....	65
EV_HDFS_LOCAL_FILE_OP.....	65
EV_SQOOP_CREATE_DATABASE.....	65
EV_SERVICE_STOPPED.....	65
EV_HDFS_MONITOR_OFFLINE.....	66
EV_SENTRY_CREATE_DB_TABLES.....	66
EV_ECS_INSTALL_CP.....	66
EV_IMPALA_ENABLE_LLAMA_HA.....	66
EV_HIVE_CREATE_METASTORE_TABLES.....	66
EV_CLUSTER_FINISH_DECOMMISSION.....	67

EV_HOST_MAINTENANCE_MODE_ENTERED.....	67
EV_HDFS_DISTCP.....	67
EV_PARCEL_PRUNE.....	67
EV_HDFS_ENABLE_SNAPSHOT.....	67
EV_IMPORT_KEYSTRUSTEE_KMS_ACL.....	68
EV_HDFS_REBALANCE_COMMAND.....	68
EV_OOZIE_DUMP_DB.....	68
EV_HUE_LOAD_DB.....	68
EV_YARN_CREATE_REMOTE_APP_LOG_DIR.....	69
EV_SOLR_INIT.....	69
EV_DYNAMIC_ROLE_COMMAND_EXECUTED.....	69
EV_ECS_UPDATE_INGRESS_CONTROLLER_CERT.....	69
EV_INITIALIZE_ZNODE.....	69
EV_HDFS_SAFEMODE_WAIT.....	70
EV_DECOMMISSION.....	70
EV_ECS_UPGRADE_K8S_WEBUI.....	70
EV_IMPORT_SENTRY_POLICIES.....	70
EV_REGENERATE_KEYTAB.....	70
EV_YARN_ENABLE_RM_HA.....	71
EV_HBASE_RELOAD_RS.....	71
EV_ECS_UPGRADE_CP.....	71
EV_HBASE_REMOVE_PEER_COMMAND.....	71
EV_HUE_CREATE_DB.....	72
EV_HDFS_DIR_CREATED.....	72
EV_HDFS_DELETE_NAMESERVICE.....	72
EV_HIVE3_REPLICATION_METRICS_GETTER_COMMAND.....	72
EV_USER_ROLE_LIMITED_ADMIN_REMOVED.....	72
EV_ECS_POST_UPGRADE.....	73
EV_SOLR_REINITIALIZE_STATE.....	73
EV_HUE_VALIDATE_PYTHON_VERSION.....	73
EV_OOZIE_LOAD_DB.....	73
EV_IMPALA_ENABLE_LLAMA_RM.....	73
EV_CLUSTER_INSPECTOR_RUN.....	74
EV_DYNAMIC_SERVICE_COMMAND_EXECUTED.....	74
EV_MR_ENABLE_JT_HA.....	74
EV_HBASE_UPGRADE.....	74
EV_OOZIE_ENABLE_HA.....	75
EV_HBASE_DELETE_SNAPSHOT.....	75
EV_HOSTS_DECOMMISSION_RUN.....	75
EV_HOST_INSTALL.....	75
EV_HDFS_RESTORE_SNAPSHOT.....	75
EV_HIVE_CREATE_DB.....	76
EV_FIRST_RUN.....	76
EV_CLUSTER_EXPIRE_LOGS.....	76
EV_SERVICE_DIAGNOSTICS.....	76
EV_HDFS_DISABLE_AUTO_FAILOVER.....	76
EV_USER_ROLE_LIMITED_ADMIN_ADDED.....	77
EV_RANGER_TEAR_DOWN_PLUGIN_REPO.....	77
EV_HDFS_NN_TRANSITION_TO_ACTIVE.....	77
EV_ECS_INSTALL_TOLERATIONS_WEBHOOK.....	77
EV_HDFS_SET_QUOTA.....	77
EV_SOLR_UPLOAD_LOCALFS_TEMPLATE.....	78
EV_HOST_CREATED.....	78
EV_HDFS_DISABLE_HA.....	78
EV_HDFS_SCHEDULED_SNAPSHOTS.....	78
EV_HOST_RACK_CHANGED.....	78

EV_HBASE_HFILE_CHECK.....	79
EV_SOLR_CREATE_HDFS_HOME_DIR.....	79
EV_HBASE_WRAPPED_DECOMMISSION.....	79
EV_ROLE_RESTARTED.....	79
EV_EXTERNAL_ACCOUNT_MODIFIED.....	80
EV_ROLE_STOPPED.....	80
EV_RANGER_CREATE_AUDIT_DIR.....	80
EV_CLUSTER_DEPLOY_PARCELS.....	80
EV_HDFS_INITIALIZE_ZNODE.....	80
EV_MR_DISABLE_JT_HA.....	81
EV_HOST_START_DECOMMISSION.....	81

HBASE Category..... 81

EV_HBASE_ERASURE_CODE_CANARY_RESULTS.....	81
EV_HBASE_COMPACTION_COLUMN_FAMILY_ABORTED.....	81
EV_HBASE_COMPACTION_COLUMN_FAMILY_STARTED.....	81
EV_HBASE_HBCK_REPORT.....	82
EV_HBASE_COMPACTION_COLUMN_FAMILY_COMPLETED.....	82
EV_HBASE_FLUSH_DUE_TO_HEAP_PRESSURE.....	82
EV_HBASE_SPLIT_COMPLETED.....	82
EV_HBASE_REGION_HEALTH_CANARY_RESULTS.....	83
EV_HBASE_HBCK_SLOW_RUN.....	83
EV_HBASE_FLUSH_DELAYED_TOO_MANY_STORE_FILES.....	83
EV_HBASE_COMPACTION_REGION_COMPLETED.....	83
EV_HBASE_SPLIT_STARTED.....	83
EV_RANGER_CREATE_REPO.....	84
EV_HBASE_REGION_HEALTH_CANARY_SLOW_RUN.....	84
EV_HBASE_FLUSH_COMPLETED.....	84
EV_HBASE_SPLIT_ABORTED.....	84
EV_HBASE_COMPACTION_REGION_STARTED.....	84

HEALTH_CHECK Category..... 85

EV_ROLE_HEALTH_DISABLED.....	85
EV_ROLE_HEALTH_BAD.....	85
EV_SERVICE_HEALTH_DISABLED.....	85
EV_HOST_HEALTH_CHECK_CONCERNING.....	86
EV_SERVICE_HEALTH_CONCERNING.....	86
EV_ROLE_HEALTH_CHECK_BAD.....	86
EV_SERVICE_HEALTH_BAD.....	86
EV_SERVICE_HEALTH_UNKNOWN.....	87
EV_HOST_HEALTH_GOOD.....	87
EV_HOST_HEALTH_CHECK_BAD.....	87
EV_HOST_HEALTH_CHECK_DISABLED.....	87
EV_HOST_HEALTH_DISABLED.....	88
EV_ROLE_HEALTH_UNKNOWN.....	88
EV_HOST_HEALTH_CHECK_GOOD.....	88
EV_ROLE_HEALTH_CHECK_CONCERNING.....	89
EV_HOST_HEALTH_UNKNOWN.....	89
EV_SERVICE_HEALTH_CHECK_BAD.....	89
EV_SERVICE_HEALTH_CHECK_CONCERNING.....	89
EV_ROLE_HEALTH_CONCERNING.....	90
EV_SERVICE_HEALTH_GOOD.....	90
EV_HOST_HEALTH_BAD.....	90
EV_SERVICE_HEALTH_CHECK_UNKNOWN.....	90

EV_ROLE_HEALTH_CHECK_GOOD.....	91
EV_ROLE_HEALTH_CHECK_UNKNOWN.....	91
EV_ROLE_HEALTH_CHECK_DISABLED.....	91
EV_SERVICE_HEALTH_CHECK_DISABLED.....	92
EV_ROLE_HEALTH_GOOD.....	92
EV_HOST_HEALTH_CHECK_UNKNOWN.....	92
EV_HOST_HEALTH_CONCERNING.....	92
EV_SERVICE_HEALTH_CHECK_GOOD.....	93

LOG_MESSAGE Category.....	93
EV_LOG_EVENT.....	93

ACTIVITY_EVENT Category.....	93
EV_MR_ACTIVITY_RUNNING_SLOWLY.....	93
EV_MR_ACTIVITY_FAILED.....	93
EV_YARN_MONITOR_DECOMMISSION.....	94

SYSTEM Category.....	94
EV_CONFIG_STALENESS_CHECK.....	94
EV_PARCEL_DISCOVERED_REMOTELY.....	94
EV_CONFIG_STALENESS_SUCCESS_WAIT.....	94
EV_PARCEL_DISCOVERED_LOCALLY.....	95

AUDIT_EVENT Category

Reference information on Cloudera Manager Events and supported attributes for AUDIT_EVENT category

EV_OFFLINE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_MAINTENANCE_MODE_EXITED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_MIGRATE_CMCA_TO_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ROLE_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HOST_FINISH_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HDFS_FAILOVER**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ADD_CUSTOM_CERTS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_GENERATE_HOST_CERTS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS, HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_YARN_RESET_ACLS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_INSTALL_LONGHORN_UI**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_GLOBAL_ESTIMATE_HOST_STATS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_GLOBAL_COLLECT_HOST_STATS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HBASE_REPLICATION_SETUP**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_VALIDATE_WRITABLE_EMPTY_DIRS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HUE_CREATE_USER_DIR**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_TEST_CM_EXTERNAL_AUTH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_YARN_INSTALL_MR_FRAMEWORK_TAR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_MONITOR_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_HOST_INSPECTOR_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_MR_CREATE_JOBSTATUS_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_KS_MIGRATE_TO_SENTRY

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_DISABLE_TLS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ROLE_CONFIG_GROUP_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE_CONFIG_GROUP, ROLE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_SOLR_VALIDATE_METADATA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ADMIN_USER_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE,
CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HOSTS_DELETE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_IMPALA_CREATE_USER_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_RESET_ID

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS,
HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_BACKUP_CONFIG

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_CREATE_USER_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_CDH_VERSION_UPDATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_SERVICE_RECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_IMPALA_ROLE_DIAG

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SQOOP_CREATE_USER_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_YARN_REFRESH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_SERVICE_RENAMED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_EXTERNAL_ACCOUNT_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EXTERNAL_ACCOUNT_NAME,
EXTERNAL_ACCOUNT_TYPE, EVENTCODE, CATEGORY, SEVERITY,
MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_ZOOKEEPER_CLEANUP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SENTRY_CREATE_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPALA_CANCEL_QUERY_REQUEST

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_SERVICE_MAINTENANCE_MODE_ENTERED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_SOLR_MIGRATE_SENTRY_PRIVILEGES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_COPYLISTING

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_DIRECTORY_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOSTS_RECOMMISSION_WITH_START_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ECS_VAULT_SETUP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SENTRY_DISABLE_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_LOGIN_SUCCESS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_LOGIN_FAILURE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HIVE_REPLICATION_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_DELETE_CREDENTIALS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_SERVICE_STARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SERVICE_START_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_CLUSTER_RENAMED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HDFS_NN_FAILOVER

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_ENABLE_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPORT_SENTRY_KUDU_POLICIES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SERVICE_ROLLING_RESTARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPALA_DISABLE_LLAMA_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_MAINTENANCE_MODE_EXITED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, CATEGORY,
SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_REPLICATION_DIAGNOSTICS_COLLECTION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_DOCKER_HOST_SETUP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_JSTACK

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_DISABLE_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_UPDATE_GLOBAL_TRUSTSTORE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_YARN_APPLICATION_DIAGNOSTICS_COLLECTION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_BOOTSTRAP_CONFIG

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOSTS_REMOVE_FROM_CM

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_GLOBAL_HOST_INSTALL

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_USER_ROLE_REGULAR_ADDED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_GENERATE_CMCA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HUE_DUMP_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_CONFIGURE_AUTO_TLS_SERVICES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HOST_RECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_CM_PEER_TEST

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_EXTERNAL_ACCOUNT_HOST_S3GUARD_PRUNE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS, HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_CREATE_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_PARCEL_DEACTIVATE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_TOGGLE_BALANCER

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_PRE_UPGRADE_CHECK

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,
CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HBASE_DISABLE_TABLE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_DEPLOY_CLUSTER_CLIENT_CONFIG

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,
CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_DOCKER_REGISTRY_BRINGUP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_ADD_NAMESERVICE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_OOZIE_CREATE_DB_TABLES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_UNLOAD_RS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_VALIDATE_SHARED_EDITS_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_VALIDATE_METASTORE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SERVICE_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_CLUSTER_UPGRADE_CDH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,
CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_IMPALA_SET_USER_ACLS_ON_WAREHOUSE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_BOOTSTRAP_COLLECTIONS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_LSO

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_UPGRADE_METASTORE**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HUE_SYNC_DB**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_CREATE_SNAPSHOT**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_GLOBAL_AUDIT_EVICTOR**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HIVE_CREATE_WAREHOUSE_DIR**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_RECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HIVE_CREATE_SYS_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_TEZ_UPLOAD_TAR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_TEAR_DOWN_WORKLOAD

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_CLUSTER_GEN_SUPPORT_TOKEN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_USER_ROLE_ADDED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_OOZIE_DISABLE_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOSTS_REMOVE_FROM_CLUSTER_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HDFS_SAFEMODE_LEAVE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPALA_DISABLE_LLAMA_RM

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SERVICE_CLEAN_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_PARCEL_DISTRIBUTE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY,
SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_SQOOP_SERVER_UPGRADE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPALA_SET_USER_ACLS_ON_EXTERNAL_WAREHOUSE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SERVICE_MAINTENANCE_MODE_EXITED**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_REPLICATION_FIRST_TIME_SETUP_MANUAL_CONTINUE**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_RECOMMISSION**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HDFS_MONITOR_UPGRADE**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_PARCEL_CANCEL_ACTION**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY,
SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HDFS_SAFEMODE_ENTER

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_USER_ROLE_REGULAR_REMOVED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE,
CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_CREATE_HBASE_TABLES_FOR_ATLAS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_CONFIG_GROUP_RENAMED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, ROLE_CONFIG_GROUP, ROLE_TYPE, EVENTCODE, CATEGORY,
SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_CLUSTER_OPTIMIZED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,

CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_DOCKER_GENERATE_DOCKER_CERT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_POST_CLOUDERA_RUNTIME_UPGRADE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,
CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HDFS_INIT_SHARED_EDITS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_ACTIVATE_PARCEL

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,
CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HDFS_REMOTE_COPY_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_YARN_CREATE_NODE_LABELS_ROOT_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_OOZIE_UPGRADE_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_DEPLOY_CC_AND_REFRESH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ROLE_REFRESH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_DEPLOY_CLIENT_CONFIG**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS,
HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_START_DECOMMISSION**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_GET_OZONE_CREDENTIALS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOSTS_START_ROLES_RUN**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_DOCKER_COPY_IMAGES**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_HOST_NETWORK_MANAGER_SETUP**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_YARN_FORMAT_STATE_STORE**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_DIAGNOSTICS_DATA_UPLOAD**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HBASE_CREATE_WAL_DIR**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_STARTED**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,

SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_TEMPLATE_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOST_TEMPLATE, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_SENTRY_ENABLE_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_DEPLOY_CLIENT_CONFIG

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ECS_APPLY_CONFIGS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_USER_ROLE_ASSIGNED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_YARN_DISABLE_RM_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_VAULT_UNSEAL

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_USER_ROLE_UNASSIGNED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HOSTS_RECOMMISSION_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HDFS_SAVE_NAMESPACE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_YARN_INSTALL_SERVICE_DEPENDENCIES_TAR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_PARCEL_DELETE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_REPLICATION_FIRST_TIME_SETUP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_DYNAMIC_CREATE_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_ROLLING_RESTARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HOST_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_REPLICATION_SETUP_ADMIN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_JMAP_HISTO

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_BOOTSTRAP_STANDBY_NN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_MAINTENANCE_MODE_ENTERED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE,
CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HOSTS_PERF_INSPECTOR_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_SERVICE_FINISH_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_REVISION_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, REVISION,
MESSAGE_CODES

Optional Attributes

ALERT_SUMMARY, SERVICE, SERVICE_TYPE, ROLE, ROLE_CONFIG_GROUP, HOSTS,
ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_ROLE_FINISH_OFFLINE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE,
CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_PARCEL_UNDISTRIBUTE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_CONVERT_CONFIGS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HOST_TEMPLATE_MODIFIED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOST_TEMPLATE, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HIVE_UPDATELOCATION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLIENT_CONFIG_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, MESSAGE_CODES, SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, USER

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_EXTERNAL_ACCOUNT_S3GUARD_PRUNE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_PARCEL_DOWNLOAD

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_RESTORE_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_UPGRADE_INFRA_PROMETHEUS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_REPLICATION_FIRST_TIME_SETUP_CLEAN_AND_RESET

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_INSPECTOR_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS, HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_REPLICATION_SECURITY_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_PERF_INSPECTOR_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_GLOBAL_RECONCILE_ROLE_STATUS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ROLE_JMAP_DUMP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_POOLS_REFRESH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,
CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HBASE_CLONE_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_MAINTENANCE_MODE_EXITED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE,
CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_ADHOC_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_PARCEL_ACTIVATE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY,
SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_DEPLOY_CLIENT_CONFIG

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_USER_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE,
CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_INSTALL_OOZIE_SHARELIB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_REPLICATION_WAIT_FOR_REMOTE_SETUP_FINISH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_RECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_OOZIE_CREATE_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_REFRESH_PARCELS_INFO

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ROLE_FINISH_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE,
CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_SCHEDULED_SNAPSHOTS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_METRICS_CHART_DIAGNOSTICS_COLLECTION**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_CREATE_ROOT_DIR**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_COLLECT_HOST_STATS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS,
HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_CREATE_WAREHOUSE_EXTERNAL_DIR**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_CONFIG_GROUP_CREATED**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE_CONFIG_GROUP, ROLE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_IMPALA_CREATE_CATALOG_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_TEMPLATE_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOST_TEMPLATE, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_CLUSTER_MAINTENANCE_MODE_ENTERED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_YARN_KILL_APPLICATION_REQUEST

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HOSTS_RECOMMISSION_AND_EXIT_MAINTENANCE_MODE_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_CLUSTER_RESTARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_YARN_IMPORT_FROM_MR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_REPLICATION_VALIDATION_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_DELETE_CREDENTIALS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ROLE_START_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HDFS_ENABLE_AUTO_FAILOVER

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_SHELL_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_MR_KILL_JOB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTERS_PERF_INSPECTOR_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_CLUSTER_STARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_SENTRY_EXPORT_PERMISSIONS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_UPGRADE_METADATA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_CDP_CREATE_ENV

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_STOPPED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_IMPALA_CREATE_CATALOG_TABLES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_KERBEROS_ENABLED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HBASE_GRACEFUL_SHUTDOWN_RS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SERVICE_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_CLUSTER_IMPORT_TEMPLATE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ECS_HOST_SETUP**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_ENABLE_TABLE**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_REFRESHED**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HOST_MIGRATE_ROLES**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS, HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_INSPECTOR_RUN**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HBASE_REPLICATION_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_YARN_SWITCH_TO_MR2

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_REPLICATION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_TEST_DBUS_CONNECTION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_FINALIZED_UPGRADE_CDH

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_ROLE_START_OFFLINE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, CATEGORY, SEVERITY, MESSAGE_CODES, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_IMPORT_ADMIN_CREDENTIALS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_YARN_CREATE_CM_CONTAINER_USAGE_INPUT_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_CHECK_LOCALFS_TEMPLATE_CONFLICTS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_MR2_CREATE_HISTORY_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SENTRY_UPGRADE_DB_TABLES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_CREATE_REPLICATION_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_CLUSTER_CONFIGURE_FOR_KERBEROS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HDFS_NN_FORMAT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HUE_LDAP_TEST

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_RELOAD_SINGLE_RS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_EXTERNAL_ACCOUNT_DELETED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EXTERNAL_ACCOUNT_NAME,
EXTERNAL_ACCOUNT_TYPE, EVENTCODE, CATEGORY, SEVERITY,
MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HDFS_SAFEMODE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_GENERATE_CREDENTIALS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HBASE_CREATE_HBASE_USER_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_TEST_DB_CONNECTION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, HOSTS,
HOST_IDS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_DIAGNOSTICS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_USER_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_SERVICE_RESTARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ZOOKEEPER_INIT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_FINALIZE_UPGRADE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_NN_ROLL_EDITS**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_DELETE_SNAPSHOT**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_MIGRATE_TABLES**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_USER_ROLE_REMOVED**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE,
CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HOSTS_STOP_ROLES_RUN**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HOST_TEMPLATE_APPLIED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOST_TEMPLATE, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HDFS_LOCAL_FILE_OP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SQOOP_CREATE_DATABASE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SERVICE_STOPPED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_MONITOR_OFFLINE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SENTRY_CREATE_DB_TABLES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_INSTALL_CP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPALA_ENABLE_LLAMA_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_CREATE_METASTORE_TABLES

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_FINISH_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HOST_MAINTENANCE_MODE_ENTERED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, CATEGORY,
SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HDFS_DISTCP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_PARCEL_PRUNE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, PARCEL_PRODUCT, EVENTCODE, CATEGORY,
SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, PARCEL_VERSION, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HDFS_ENABLE_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPORT_KEYSTRUSTEE_KMS_ACL

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_REBALANCE_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_OOZIE_DUMP_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HUE_LOAD_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_YARN_CREATE_REMOTE_APP_LOG_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_INIT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_DYNAMIC_ROLE_COMMAND_EXECUTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_UPDATE_INGRESS_CONTROLLER_CERT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_INITIALIZE_ZNODE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_SAFEMODE_WAIT**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_DECOMMISSION**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_UPGRADE_K8S_WEBUI**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPORT_SENTRY_POLICIES**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_REGENERATE_KEYTAB**Required Attributes**

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_YARN_ENABLE_RM_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_RELOAD_RS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_UPGRADE_CP

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_REMOVE_PEER_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HUE_CREATE_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_DIR_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_DELETE_NAMESERVICE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE3_REPLICATION_METRICS_GETTER_COMMAND

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_USER_ROLE_LIMITED_ADMIN_REMOVED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_ECS_POST_UPGRADE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_REINITIALIZE_STATE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HUE_VALIDATE_PYTHON_VERSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_OOZIE_LOAD_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_IMPALA_ENABLE_LLAMA_RM

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_INSPECTOR_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_DYNAMIC_SERVICE_COMMAND_EXECUTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_MR_ENABLE_JT_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_UPGRADE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_OOZIE_ENABLE_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_DELETE_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOSTS_DECOMMISSION_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HOST_INSTALL

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HDFS_RESTORE_SNAPSHOT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HIVE_CREATE_DB

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_FIRST_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_CLUSTER_EXPIRE_LOGS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_SERVICE_DIAGNOSTICS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_DISABLE_AUTO_FAILOVER

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_USER_ROLE_LIMITED_ADMIN_ADDED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, NEW_USER_NAME, USER_ROLE, EVENTCODE,
CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES,
SEVERITY

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_RANGER_TEAR_DOWN_PLUGIN_REPO

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_NN_TRANSITION_TO_ACTIVE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ECS_INSTALL_TOLERATIONS_WEBHOOK

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_SET_QUOTA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,

SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_UPLOAD_LOCALFS_TEMPLATE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_CREATED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HDFS_DISABLE_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HDFS_SCHEDULED_SNAPSHOTS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_RACK_CHANGED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, SEVERITY, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, RACK_ID, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

EV_HBASE_HFILE_CHECK

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_SOLR_CREATE_HDFS_HOME_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_WRAPPED_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_ROLE_RESTARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_EXTERNAL_ACCOUNT_MODIFIED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EXTERNAL_ACCOUNT_NAME,
EXTERNAL_ACCOUNT_TYPE, EVENTCODE, CATEGORY, SEVERITY,
MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_ROLE_STOPPED

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE,
ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID,
COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_RANGER_CREATE_AUDIT_DIR

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_CLUSTER_DEPLOY_PARCELS

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE,
CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS,
COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_HDFS_INITIALIZE_ZNODE

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_MR_DISABLE_JT_HA

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND,
COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HOST_START_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, HOSTS, HOST_IDS, EVENTCODE, CATEGORY,
SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID

HBASE Category

Reference information on Cloudera Manager Events and supported attributes for HBASE category

EV_HBASE_ERASURE_CODE_CANARY_RESULTS

Required Attributes

EVENT_VERSION, CATEGORY, EVENTCODE, SEVERITY, SERVICE, DURATION_MS

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_COMPACTION_COLUMN_FAMILY_ABORTED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME,
SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS,
TABLE, REGION, COLUMN_FAMILY, FILE_COUNT, FILE_SIZE_BYTES, FILE_SIZE,
PRIORITY, REQUEST_TIME_NANOS, DURATION_MS, DURATION

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_COMPACTION_COLUMN_FAMILY_STARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION, COLUMN_FAMILY

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_HBCK_REPORT

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, SEVERITY, EVENTCODE, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, DURATION_MS, SERVICE, SERVICE_DISPLAY_NAME, TABLE, REGION, HBASE_HBCK_ERROR_COUNT, HBASE_HBCK_ERROR_CODES, HBASE_HBCK_REGION_ERROR_COUNT, HBASE_HBCK_RESULTS

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_COMPACTION_COLUMN_FAMILY_COMPLETED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION, COLUMN_FAMILY, FILE_COUNT, FILE_SIZE_BYTES, FILE_SIZE, PRIORITY, REQUEST_TIME_NANOS, DURATION_MS, DURATION

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_FLUSH_DUE_TO_HEAP_PRESSURE

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_SPLIT_COMPLETED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION, DAUGHTER_REGIONS, DURATION, DURATION_MS, DAUGHTER_REGIONS

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_REGION_HEALTH_CANARY_RESULTS**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY,
 EVENT_VERSION, DURATION_MS, CLUSTER, CLUSTER_DISPLAY_NAME,
 CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, TABLE, HOSTS,
 HBASE_CANARY_TOTAL_REGIONS, HBASE_CANARY_UNHEALTHY_REGION_COUNT,
 REGION, HBASE_CANARY_TABLE_RESULTS, HBASE_CANARY_ERRORS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, EXCEPTION_TYPES

EV_HBASE_HBCK_SLOW_RUN**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER,
 CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME,
 DURATION_MS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON

EV_HBASE_FLUSH_DELAYED_TOO_MANY_STORE_FILES**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER,
 CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY NAME,
 SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS,
 TABLE, REGION

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_COMPACTION_REGION_COMPLETED**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER,
 CLUSTER_DISPLAY NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY NAME,
 SERVICE_TYPE, ROLE, ROLE_DISPLAY NAME, ROLE_TYPE, HOSTS, HOST_IDS,
 TABLE, REGION, DURATION_MS, DURATION

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_SPLIT_STARTED**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER,
 CLUSTER_DISPLAY NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY NAME,

SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_RANGER_CREATE_REPO

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

EV_HBASE_REGION_HEALTH_CANARY_SLOW_RUN

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, DURATION_MS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON

EV_HBASE_FLUSH_COMPLETED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION, DURATION, DURATION_MS, SEQUENCE_ID, COMPACTION_REQUESTED

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_SPLIT_ABORTED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_HBASE_COMPACTION_REGION_STARTED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, SEVERITY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, HOSTS, HOST_IDS, TABLE, REGION

Optional Attributes

ALERT_SUPPRESSION_REASON

HEALTH_CHECK Category

Reference information on Cloudera Manager Events and supported attributes for HEALTH_CHECK category

EV_ROLE_HEALTH_DISABLED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_BAD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_DISABLED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME,

MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS,
PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY,
CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_CHECK_CONCERNING

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS,
CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS,
HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS,
ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS,
PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS,
CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_CONCERNING

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS,
SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS,
CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS,
DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME,
MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS,
PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY,
CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_CHECK_BAD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS,
HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON,
BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID,
CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS,
HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS,
PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY,
CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_BAD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS,
SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_UNKNOWN**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_GOOD**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_CHECK_BAD**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_CHECK_DISABLED**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_DISABLED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_UNKNOWN

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_CHECK_GOOD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_CHECK_CONCERNING

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_UNKNOWN

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_CHECK_BAD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_CHECK_CONCERNING

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME,

MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS,
PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY,
CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_CONCERNING

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS,
HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON,
BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID,
CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS,
HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS,
PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY,
CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_GOOD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS,
SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS,
CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS,
DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME,
MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS,
PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY,
CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_BAD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME,
CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS,
CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS,
HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS,
ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS,
PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS,
CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_CHECK_UNKNOWN

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS,
SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_CHECK_GOOD**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_CHECK_UNKNOWN**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_CHECK_DISABLED**Required Attributes**

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_CHECK_DISABLED

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_ROLE_HEALTH_GOOD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_CHECK_UNKNOWN

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS, ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

EV_HOST_HEALTH_CONCERNING

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, EVENTCODE, HEALTH_TEST_RESULTS, HOSTS, HOST_IDS, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS, CONCERNING_TEST_RESULTS, DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME, MONITOR_STARTUP, UNKNOWN_TEST_RESULTS,

ALERT_SUPPRESSION_REASON, PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS,
PREVIOUS_HEALTH_SUMMARY, CURRENT_COMPLETE_HEALTH_TEST_RESULTS,
CURRENT_HEALTH_SUMMARY

EV_SERVICE_HEALTH_CHECK_GOOD

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HEALTH_TEST_RESULTS,
SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, BAD_TEST_RESULTS,
CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, CONCERNING_TEST_RESULTS,
DISABLED_TEST_RESULTS, GOOD_TEST_RESULTS, HEALTH_TEST_NAME,
MONITOR_STARTUP, NAMESERVICE, UNKNOWN_TEST_RESULTS,
PREVIOUS_COMPLETE_HEALTH_TEST_RESULTS, PREVIOUS_HEALTH_SUMMARY,
CURRENT_COMPLETE_HEALTH_TEST_RESULTS, CURRENT_HEALTH_SUMMARY

LOG_MESSAGE Category

Reference information on Cloudera Manager Events and supported attributes for LOG_MESSAGE category

EV_LOG_EVENT

Required Attributes

ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, HOSTS, HOST_IDS,
LOG_LEVEL, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SERVICE,
SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER,
CLUSTER_DISPLAY_NAME, CLUSTER_ID, EXCEPTION_TYPES

ACTIVITY_EVENT Category

Reference information on Cloudera Manager Events and supported attributes for ACTIVITY_EVENT category

EV_MR_ACTIVITY_RUNNING_SLOWLY

Required Attributes

ACTIVITY_NAME, ACTIVITY_ID, ALERT, ALERT_SUPPRESSED, CATEGORY,
EVENTCODE, MESSAGE_CODES, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID,
SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, USER

EV_MR_ACTIVITY_FAILED

Required Attributes

ACTIVITY_NAME, ACTIVITY_ID, ALERT, ALERT_SUPPRESSED, CATEGORY, EVENTCODE, MESSAGE_CODES, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, SEVERITY

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, USER

EV_YARN_MONITOR_DECOMMISSION

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, EVENTCODE, CATEGORY, ROLE, ROLE_DISPLAY_NAME, ROLE_TYPE, SEVERITY, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS, HOSTS, HOST_IDS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, CLUSTER, CLUSTER_DISPLAY_NAME, CLUSTER_ID, COMMAND_RESULT

SYSTEM Category

Reference information on Cloudera Manager Events and supported attributes for SYSTEM category

EV_CONFIG_STALENESS_CHECK

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_PARCEL_DISCOVERED_REMOTELY

Required Attributes

ALERT, ALERT_SUPPRESSED, PARCEL_PRODUCT, PARCEL_VERSION, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON

EV_CONFIG_STALENESS_SUCCESS_WAIT

Required Attributes

ALERT, ALERT_SUPPRESSED, USER, SERVICE, SERVICE_DISPLAY_NAME, SERVICE_TYPE, EVENTCODE, CATEGORY, SEVERITY, MESSAGE_CODES, COMMAND, COMMAND_ARGS, COMMAND_ID, COMMAND_STATUS

Optional Attributes

ALERT_SUMMARY, ALERT_SUPPRESSION_REASON, COMMAND_RESULT

EV_PARCEL_DISCOVERED_LOCALLY

Required Attributes

ALERT, ALERT_SUPPRESSED, PARCEL_PRODUCT, PARCEL_VERSION, EVENTCODE, CATEGORY, SERVICE, SERVICE_DISPLAY_NAME, SEVERITY, MESSAGE_CODES

Optional Attributes

ALERT_SUPPRESSION_REASON