

Replication Manager Top Tasks

Date published: 2023-05-24

Date modified: 2023-06-14



Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Use cases for Replication Manager in CDP Private Cloud Data Services..... 4

Replicating Ozone data in OBS buckets between secure clusters.....4

Tracking, monitoring, and troubleshooting replication policies..... 5

Use cases for Replication Manager in CDP Private Cloud Data Services

Replication Manager is a service in CDP Private Cloud Data Services. You can use this service to copy and migrate HDFS data, Hive external tables, and Ozone data between CDP Private Cloud Base 7.1.8 or higher clusters using Cloudera Manager version 7.7.3 or higher.

You can use Replication Manager for a variety of use cases. Some use cases include:

- Implementing a complete backup and restore solution.

You might want to implement a backup and restore solution for HDFS data or Hive external tables. You create the replication policy based on the type of data you want to backup and restore. To implement this use case, you backup data in ClusterA to ClusterB. When the need arises, you can create another replication policy to restore the data from ClusterB to ClusterA.

- Replicating the required data to another cluster to run workloads or analytics.

Sometimes, you might want to move workloads, especially heavy-duty workloads to another cluster to reduce the load and optimize the performance of the primary cluster, or run analytics on the required data on another cluster because you do not want to overload the primary cluster. In such scenarios, you can create replication policies in Replication Manager to replicate the required data at regular intervals. After replication, you can use the required tools to analyze the data.

Replicating Ozone data in OBS buckets between secure clusters

Object store buckets (OBS) are storage buckets where all the keys are written into a flat namespace. It can be accessed using the S3 interface provided by Ozone. Ozone replication policies support data replication between OBS buckets in source and target clusters that support S3A filesystem using the S3A scheme or replication protocol. You can replicate Ozone data in OBS buckets between CDP Private Cloud Base 7.1.8 or higher clusters using Cloudera Manager version 7.7.3 or higher.

Before you begin

The following task assumes that Auto-TLS and Kerberos are enabled on the source and target clusters, and Ranger is enabled on the source cluster.

About this task

To replicate Ozone data between OBS buckets, perform the following tasks:

Procedure

1. Login to CDP Private Cloud Data Services.
2. Add the source and target clusters to use in Ozone replication policy using the following steps:
 - a) Verify whether you have an *admin* or *poweruser* role.
 - b) Go to the [Replication Manager Clusters](#) page, and click Add Cluster.
The [Management Console Clusters Cluster Details](#) wizard appears.
 - c) Enter the cluster details which include Cloudera Manager URL (use Cloudera Manager hostname if Auto-TLS is enabled), Username, Password, Location, and Data Center.
 - d) Click Add.For more information, see [Adding clusters to a CDP Private Cloud Data Services deployment](#)
3. Complete the steps to [configure SSL/TLS certificate exchange between the Cloudera Manager instances](#) that manage the source and target clusters.

4. Complete the steps in [Additional configuration for OBS buckets](#) to use the required OBS buckets in an Ozone replication policy.
5. Complete the steps in [Preparing for Ozone replication policies](#) to use the Kerberos-enabled clusters, and Ranger-enabled source cluster in the Ozone replication policy.
6. Complete the steps in [Creating an Ozone replication policy](#) to create and run the Ozone replication policy.
7. Click the replication policy on the **Replication Policies** page to view the job progress.
8. Verify whether the replicated data is available on the target cluster using the Ozone shell after the replication is complete.

Tracking, monitoring, and troubleshooting replication policies

After you create a replication policy, you can track the replication policy job progress, monitor the status of the replication policies, and troubleshoot the failed replication policies in CDP Private Cloud Data Services Replication Manager.

Tracking and monitoring replication policies

You can view, track, and monitor the available replication policies on the Replication Manager UI in CDP Private Cloud Data Services using the following pages:

- **Overview** page shows the statistics in the **Policies**, **Jobs**, and **Issues & Updates** panels.
- **Replication Policies** page lists all the replication policies and information about each replication policy.

Troubleshooting replication policies

You can use one of the following methods to troubleshoot a failed replication policy:

- On the **Replication Policies** page, you can:
 - click **Actions Collect diagnostic bundle** for a replication policy to generate a diagnostic bundle for the replication policy. You can download the bundle as a ZIP file to your machine.
 - click **Actions View Log** for a replication policy to download, copy, or open the log to track the job and to troubleshoot any issues.
- Click a job on the **Replication Manager Replication Policies Job History** panel to view the following job details:
 - Steps that Replication Manager ran for the job along with the timestamp and job details on the **General** tab.
 - Source and destination command output on the **Command Details** tab.
 - Stack trace for the commands that ran on the source Cloudera Manager for the failed job on the **Setup Error** tab.



Tip: On the **Overview Issues & Updates** panel, the **Job Status** column shows the current job status. If the job failed, click **Failed** to view the log details about the job.

You can download the CSV reports from the **General HDFS Replication Report** field to track the replication jobs and to troubleshoot issues. The reports include performance statistics and file error listing.

- Click **Cloudera Manager Running Commands** for the source or target cluster. The recent command history shows the failed commands.
- Open the service logs in Cloudera Manager to track the errors on the source cluster and target cluster.



Tip: You can also search on the **Cloudera Manager Diagnostics Logs** page to view the logs.

Related Information

[Managing HDFS replication policy](#)

[Managing Hive replication policy](#)

[Managing Ozone replication policy](#)